Date Received	Request Code	Description	Notes
3/1/01	D01061	KENTUCKY REFERENCE CIGT.	M3 Trial
3/16/01	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	M4 Trial
4/3/01	D01098	SCOR INBIFO-2 M5	Factory pull
6/15/01	D01206	KENTUCKY REFERENCE CIGARETTE	Marlboro Lights Std Run

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value	Dflag
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.11	o
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.38	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.34	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.35	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.3	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.33	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.32	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.34	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.32	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIRC	25.26	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25.22	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25.13	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	24.91	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	24.97	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	24.96	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25.1	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25.05	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25.25	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIRC	25.01	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.18	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.13	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.05	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.11	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.17	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.15	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.13	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.17	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.18	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ECIRC	25.2	-

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value	Dflag
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.78	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.92	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.86	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.74	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.58	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.54	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.78	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.81	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.51	o
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ECIG-LEN	83.79	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.95	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.89	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.62	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	84.03	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.72	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.75	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	84.03	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.65	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.81	-
1R4F	D01098	SCOR INBIFO-2 M5	ECIG-LEN	83.76	-

PM3000993029

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27.3
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27.3
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27.1
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27.6
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	26.9
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	26.8
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27.1
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EFLT-LEN	27.5
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	27.2
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	27.5
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	26.7
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	26.8
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	27.2
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	27.2
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	26.6
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	26.9
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	27.3
1R4F	D01098	SCOR INBIFO-2 M5	EFLT-LEN	27.3

PM3000993030

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

			E-CTBWT	E-CWT	E-P+PWT
D01061	KENTUCKY REFERENCE CIGT.	1R4F	0.766	1.067	0.29
D01061	KENTUCKY REFERENCE CIGT.	1R4F	0.78	1.054	0.288
D01061	KENTUCKY REFERENCE CIGT.	1R4F	0.777	1.069	0.289
D01098	SCOR INBIFO-2 M5	1R4F	0.782	1.073	0.29
D01098	SCOR INBIFO-2 M5	1R4F	0.767	1.057	0.292
D01098	SCOR INBIFO-2 M5	1R4F	0.78	1.07	0.29
D01206	KENTUCKY REFERENCE CIGARETTE	1R4F	0.771	1.06	0.289
D01206	KENTUCKY REFERENCE CIGARETTE	1R4F	0.775	1.065	0.29
D01206	KENTUCKY REFERENCE CIGARETTE	1R4F	0.779	1.067	0.288

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	24.9
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	28.9
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	24.3
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	22.4
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	23.5
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	25.1
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	26.3
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	21.1
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	22.7
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPERM	22.8
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	34.6
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	32.1
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	32.9
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	37.5
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	27.5
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	26.5
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	23.9
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	36.5
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	26.7
1R4F	D01098	SCOR INBIFO-2 M5	EPERM	35.9
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	24.2
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	36.6
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	24.5
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	35.5
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	29.8
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	33
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	33.1
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	29.6
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	27.2
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPERM	23.8

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value	Dflag
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	140	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	132	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	137	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	153	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	158	o
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	156	o
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	129	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	134	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	136	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	156	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	149	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	135	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	135	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	130	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	ETOTAL-RTD	135	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	125	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	134	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	141	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	131	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	136	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	140	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	141	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	142	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	138	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	126	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	142	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	135	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	141	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	138	-
1R4F	D01098	SCOR INBIFO-2 M5	ETOTAL-RTD	132	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	143	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	132	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	132	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	147	-

PM3000993033

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	141	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	146	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	145	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	144	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	131	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	141	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	134	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	132	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	132	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	133	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	ETOTAL-RTD	140	-

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	127
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	116
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	116
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	120
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	124
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	127
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	119
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	119
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	116
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	127
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	130
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	121
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	120
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	117
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EPLUG-RTD	117
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	115
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	112
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	118
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	118
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	114
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	118
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	120
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	124
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	119
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	112
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	120
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	117
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	124
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	118
1R4F	D01098	SCOR INBIFO-2 M5	EPLUG-RTD	115
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	114
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	114
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	114
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	125

PM3000993035

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	125
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	120
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	118
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	123
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	116
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	122
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	118
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	118
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	113
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	117
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EPLUG-RTD	117

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	33
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	30
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	31
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	26
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	23
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	21
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	31
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	32
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	29
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	25
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	27
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	33
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	28
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	31
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EVENT	30
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	31
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	30
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	24
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	30
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	28
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	30
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	26
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	27
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	27
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	27
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	27
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	27
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	24
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	28
1R4F	D01098	SCOR INBIFO-2 M5	EVENT	30
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	25
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	28
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	27
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	28

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	29
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	26
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	24
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	27
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	27
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	26
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	24
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	32
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	26
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	25
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EVENT	25

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EQ-COV	12.339
1R4F	D01061	KENTUCKY REFERENCE CIGT.	EQ-COV	12.348
1R4F	D01098	SCOR INBIFO-2 M5	EQ-COV	12.518
1R4F	D01098	SCOR INBIFO-2 M5	EQ-COV	12.468
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EQ-COV	12.686
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	EQ-COV	12.663

PM3000993039

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	PACK-COV	13.224
1R4F	D01061	KENTUCKY REFERENCE CIGT.	PACK-COV	13.327
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	PACK-COV	14.124
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	PACK-COV	14.038

PM3000993040

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-CO	13.079
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-CO	12.499
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-CO	13.373
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-CO	14.239
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-CO	13.689
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-CO	14.443
1R4F	D01098	SCOR INBIFO-2 M5	FTC-CO	13.857
1R4F	D01098	SCOR INBIFO-2 M5	FTC-CO	13.196
1R4F	D01098	SCOR INBIFO-2 M5	FTC-CO	13.014
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-CO	13.091
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-CO	13.782
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-CO	13.701

PM3000993041

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-NO	0.307
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-NO	0.269
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-NO	0.285
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-NO	0.309
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-NO	0.283
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-NO	0.295
1R4F	D01098	SCOR INBIFO-2 M5	FTC-NO	0.295
1R4F	D01098	SCOR INBIFO-2 M5	FTC-NO	0.316
1R4F	D01098	SCOR INBIFO-2 M5	FTC-NO	0.307
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-NO	0.293
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-NO	0.307
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-NO	0.3

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-HCN	0.106
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-HCN	0.091
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-HCN	0.106
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-HCN	0.106
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-HCN	0.095
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-HCN	0.098
1R4F	D01098	SCOR INBIFO-2 M5	FTC-HCN	0.11
1R4F	D01098	SCOR INBIFO-2 M5	FTC-HCN	0.09
1R4F	D01098	SCOR INBIFO-2 M5	FTC-HCN	0.08
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-HCN	0.084
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-HCN	0.096
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-HCN	0.087

PM3000993043

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-RCHO	0.786
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-RCHO	0.768
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FTC-RCHO	0.784
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-RCHO	0.868
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-RCHO	0.807
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FTC-RCHO	0.802
1R4F	D01098	SCOR INBIFO-2 M5	FTC-RCHO	0.871
1R4F	D01098	SCOR INBIFO-2 M5	FTC-RCHO	0.834
1R4F	D01098	SCOR INBIFO-2 M5	FTC-RCHO	0.783
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-RCHO	0.741
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-RCHO	0.79
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FTC-RCHO	0.754

PM3000993044

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value	Dflag
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	13.89	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	12.19	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	12.15	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	13.58	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	13.15	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	12.01	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	12.53	-
1R4F	D01061	KENTUCKY REFERENCE CIGT.	FIL-F-CO	12.07	-
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	12.53	-
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	12.97	-
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	13.26	r
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	13.87	n
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	12.85	-
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	12.49	-
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	14.51	-
1R4F	D01083	14RF KENTUCKY REFERENCE CIGARETTE SAMPLE	FIL-F-CO	13.69	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.63	r
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	13.64	r
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	12.64	r
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.92	r
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.67	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	12.81	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.15	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.41	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	10.66	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.4	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.33	-
1R4F	D01098	SCOR INBIFO-2 M5	FIL-F-CO	11.21	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	12.84	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	12.52	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	12.29	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	13.1	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	12.28	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	11.77	-

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	11.25	-
1R4F	D01206	KENTUCKY REFERENCE CIGARETTE	FIL-F-CO	11.87	-

PM3000993046

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value	Dflag	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	10.7	-	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	9.3	-	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	9.4	-	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	8.9	-	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	8.8	-	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	0.5	o	obvious outlier
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	9.3	-	
1R4F	D01098	SCOR INBIFO-2 M5	STAT-BURN	9.4	-	

PM3000993047

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01098	SCOR INBIFO-2 M5	EXP-TOB	0

PM3000993048

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001

Smp	Req	Smpdesc	Test	Data Value
1R4F	D01098	SCOR INBIFO-2 M5	FLT-TA	8.3986
1R4F	D01098	SCOR INBIFO-2 M5	FLT-TA	8.481

PM3000993049

Source: https://www.industrydocuments.ucsf.edu/docs/zylk0001